

Sample Name: Motor Breath Mini Joints  
LIMS Sample ID: 200410U007  
Batch #: MJ00001  
Source METRC UID: 1A4060300009D17000000003

Sample Type: Pre-roll Product, Product Inhalable  
Batch Count: 214 Unit(s)  
Sample Count: 10 Unit(s)  
Unit Mass: 1.5 Grams per Unit  
Serving Mass:  
Density:

Date Collected: 04/10/2020  
Date Received: 04/10/2020  
Tested for: Euphoric Life Inc  
License #: C11-0000305-LIC  
Address: 807 Industrial Drive Hollister CA 95023  
Produced by: Euphoric Life, Inc.  
License #: CDPH-10003356  
Address: 807 Industrial Dr Hollister CA 95023

**Overall result for batch MJ00001: Pass**

### Moisture Test Results

04/11/2020

	Results (%)
Moisture	10.2

### Cannabinoid Test Results

04/12/2020

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

	mg/g	%	LOD / LOQ mg/g
Δ9THC	11.136	1.1136	0.052 / 0.158
Δ8THC	ND	ND	0.074 / 0.224
THCa	234.664	23.4664	0.052 / 0.156
THCV	ND	ND	0.045 / 0.137
THCVa	1.110	0.1110	0.088 / 0.267
CBD	ND	ND	0.059 / 0.18
CBDa	0.675	0.0675	0.052 / 0.156
CBDV	ND	ND	0.027 / 0.08
CBDVa	ND	ND	0.03 / 0.09
CBG	0.970	0.0970	0.048 / 0.144
CBGa	7.135	0.7135	0.034 / 0.102
CBL	ND	ND	0.114 / 0.346
CBN	ND	ND	0.052 / 0.157
CBC	0.238	0.0238	0.048 / 0.146
CBCa	1.673	0.1673	0.233 / 0.705

<b>Sum of Cannabinoids:</b>	<b>257.601</b>	<b>25.7601</b>	<b>386.402 mg/Unit</b>
Total THC (Δ9THC+0.877*THCa)	216.936	21.6936	325.404 mg/Unit
Total CBD (CBD+0.877*CBDa)	0.592	0.0592	0.888 mg/Unit

Δ9THC per Unit	Action Limit mg	Pass	16.704 mg/Unit
Δ9THC per Serving	1000.0		

### Batch Photo



### Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

	mg/g	%	LOD / LOQ mg/g
□ Bisabolol	NT		
□ Pinene	NT		
3 Carene	NT		
Borneol	NT		
□ Caryophyllene	NT		
Geraniol	NT		
□ Humulene	NT		
Terpinolene	NT		
Valencene	NT		
Menthol	NT		
Nerolidol	NT		
Camphene	NT		
Eucalyptol	NT		
□ Cedrene	NT		
Camphor	NT		
(-)-Isopulegol	NT		
Sabinene	NT		
□ Terpinene	NT		
□ Terpinene	NT		
Linalool	NT		
Limonene	NT		
Myrcene	NT		
Fenchol	NT		
□ Phellandrene	NT		
Caryophyllene Oxide	NT		
Terpineol	NT		
□ Pinene	NT		
R(+)-Pulegone	NT		
Geranyl Acetate	NT		
Citronellol	NT		
p-Cymene	NT		
Ocimene	NT		
Guaiol	NT		
Phytol	NT		
Isoborneol	NT		

Total Terpene Concentration: NT

### Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019  
Authority: Section 26013, Business and Professions Code.  
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
Sample must be marked as public to be viewable

*Paul Dorenbach*

Paul Dorenbach, LQC Verified By  
Date: 04/14/2020

*Josh Wurzer*

Josh Wurzer, President  
Date: 04/14/2020

Sample Name: Motor Breath Mini Joints  
 LIMS Sample ID: 200410U007  
 Batch #: MJ00001  
 Source METRC UID: 1A4060300009D17000000003

Sample Type: Pre-roll Product, Product Inhalable  
 Batch Count: 214 Unit(s)  
 Sample Count: 10 Unit(s)  
 Unit Mass: 1.5 Grams per Unit  
 Serving Mass:  
 Density:

Date Collected: 04/10/2020  
 Date Received: 04/10/2020  
 Tested for: Euphoric Life Inc  
 License #: C11-0000305-LIC  
 Address: 807 Industrial Drive Hollister CA 95023  
 Produced by: Euphoric Life, Inc.  
 License #: CDPH-10003356  
 Address: 807 Industrial Dr Hollister CA 95023

**Overall result for batch MJ00001: Pass**

## Pesticide Test Results - Pass

04/13/2020

Pesticide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Abamectin	Pass	ND	0.1	0.030 / 0.091
Acephate	Pass	ND	0.1	0.013 / 0.039
Acequinocyl	Pass	ND	0.1	0.010 / 0.031
Acetamiprid	Pass	ND	0.1	0.013 / 0.038
Azoxystrobin	Pass	ND	0.1	0.015 / 0.047
Bifenazate	Pass	ND	0.1	0.012 / 0.035
Bifenthrin	Pass	ND	3.0	0.013 / 0.038
Boscalid	Pass	ND	0.1	0.008 / 0.023
Captan	Pass	ND	0.7	0.099 / 0.300
Carbaryl	Pass	ND	0.5	0.014 / 0.043
Chlorantraniliprole	Pass	ND	10.0	0.020 / 0.061
Clofentezine	Pass	ND	0.1	0.009 / 0.027
Cyfluthrin	Pass	ND	2.0	0.099 / 0.299
Cypermethrin	Pass	ND	1.0	0.030 / 0.091
Diazinon	Pass	ND	0.1	0.009 / 0.027
Dimethomorph	Pass	ND	2.0	0.018 / 0.055
Etoazole	Pass	ND	0.1	0.007 / 0.022
Fenhexamid	Pass	ND	0.1	0.015 / 0.045
Fenpyroximate	Pass	ND	0.1	0.012 / 0.036
Flonicamid	Pass	ND	0.1	0.022 / 0.066
Fludioxonil	Pass	ND	0.1	0.020 / 0.061
Hexythiazox	Pass	ND	0.1	0.009 / 0.027
Imidacloprid	Pass	ND	5.0	0.017 / 0.050
Kresoxim-methyl	Pass	ND	0.1	0.010 / 0.029
Malathion	Pass	ND	0.5	0.006 / 0.019
Metalaxyl	Pass	ND	2.0	0.011 / 0.033
Methomyl	Pass	ND	1.0	0.022 / 0.067
Myclobutanil	Pass	ND	0.1	0.015 / 0.044
Naled	Pass	ND	0.1	0.010 / 0.031
Oxamyl	Pass	ND	0.5	0.014 / 0.042
Pentachloronitrobenzene	Pass	ND	0.1	0.020 / 0.061
Permethrin	Pass	ND	0.5	0.027 / 0.082
Phosmet	Pass	ND	0.1	0.010 / 0.030
Piperonylbutoxide	Pass	ND	3.0	0.007 / 0.020
Prallethrin	Pass	ND	0.1	0.011 / 0.032
Propiconazole	Pass	ND	0.1	0.004 / 0.013
Pyrethrins	Pass	ND	0.5	0.012 / 0.036
Pyridaben	Pass	ND	0.1	0.007 / 0.020
Spinetoram	Pass	ND	0.1	0.006 / 0.017
Spinosad	Pass	ND	0.1	0.010 / 0.031
Spiromesifen	Pass	ND	0.1	0.005 / 0.015
Spirotetramat	Pass	ND	0.1	0.014 / 0.042
Tebuconazole	Pass	ND	0.1	0.006 / 0.018
Thiamethoxam	Pass	ND	5.0	0.011 / 0.033
Trifloxystrobin	Pass	ND	0.1	0.007 / 0.020

## Pesticide Test Results - Pass

04/13/2020

Pesticide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Aldicarb	Pass	ND	ND	0.030 / 0.091
Carbofuran	Pass	ND	ND	0.029 / 0.089
Chlordane	Pass	ND	ND	0.032 / 0.097
Chlorfenapyr	Pass	ND	ND	0.030 / 0.090
Chlorpyrifos	Pass	ND	ND	0.029 / 0.089
Coumaphos	Pass	ND	ND	0.029 / 0.089
Daminozide	Pass	ND	ND	0.030 / 0.091
DDVP (Dichlorvos)	Pass	ND	ND	0.029 / 0.089
Dimethoate	Pass	ND	ND	0.029 / 0.089
Ethoprop(hos)	Pass	ND	ND	0.029 / 0.089
Etofenprox	Pass	ND	ND	0.029 / 0.089
Fenoxycarb	Pass	ND	ND	0.029 / 0.089
Fipronil	Pass	ND	ND	0.029 / 0.089
Imazalil	Pass	ND	ND	0.029 / 0.089
Methiocarb	Pass	ND	ND	0.029 / 0.089
Methyl parathion	Pass	ND	ND	0.029 / 0.089
Mevinphos	Pass	ND	ND	0.029 / 0.089
Paclobutrazol	Pass	ND	ND	0.029 / 0.089
Propoxur	Pass	ND	ND	0.029 / 0.089
Spiroxamine	Pass	ND	ND	0.029 / 0.089
Thiacloprid	Pass	ND	ND	0.029 / 0.089

## Mycotoxin Test Results - Pass

04/12/2020

Mycotoxin analysis utilizing HPLC-Mass Spectrometry

		Results (µg/kg)	Action Limit µg/kg	LOD / LOQ µg/kg
Aflatoxin B1	Pass	ND	20.0	1.0 / 3.0
Aflatoxin B2	Pass	ND	20.0	2.0 / 6.0
Aflatoxin G1	Pass	ND	20.0	1.0 / 3.0
Aflatoxin G2	Pass	ND	20.0	2.0 / 6.0
Aflatoxin B1, B2, G1, G2	Pass	ND	20.0	
Ochratoxin A	Pass	ND	20.0	6.0 / 18.0

## Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019  
 Authority: Section 26013, Business and Professions Code.  
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
 Sample must be marked as public to be viewable

*Paul Dorenbach*

Paul Dorenbach, LQC Verified By  
 Date: 04/14/2020

*Josh Wurzer*

Josh Wurzer, President  
 Date: 04/14/2020

Sample Name: Motor Breath Mini Joints  
 LIMS Sample ID: 200410U007  
 Batch #: MJ00001  
 Source METRC UID: 1A4060300009D17000000003

Sample Type: Pre-roll Product, Product Inhalable  
 Batch Count: 214 Unit(s)  
 Sample Count: 10 Unit(s)  
 Unit Mass: 1.5 Grams per Unit  
 Serving Mass:  
 Density:

Date Collected: 04/10/2020  
 Date Received: 04/10/2020  
 Tested for: Euphoric Life Inc  
 License #: C11-0000305-LIC  
 Address: 807 Industrial Drive Hollister CA 95023  
 Produced by: Euphoric Life, Inc.  
 License #: CDPH-10003356  
 Address: 807 Industrial Dr Hollister CA 95023

**Overall result for batch MJ00001: Pass**

## Residual Solvent Test Results - Pass

04/13/2020

Residual Solvent analysis utilizing Gas Chromatography - Mass Spectrometry (GC - MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
1,2-Dichloroethane	Pass	ND	1.0	0.111 / 0.336
Benzene	Pass	ND	1.0	0.043 / 0.132
Chloroform	Pass	ND	1.0	0.064 / 0.195
Ethylene Oxide	Pass	ND	1.0	0.136 / 0.413
Methylene chloride	Pass	ND	1.0	0.172 / 0.521
Trichloroethylene	Pass	ND	1.0	0.040 / 0.120
Acetone	Pass	<LOQ	5000.0	14.703 / 44.549
Acetonitrile	Pass	<LOQ	410.0	2.727 / 8.262
Butane	Pass	ND	5000.0	5.672 / 17.185
Ethanol	Pass	ND	5000.0	11.775 / 35.679
Ethyl acetate	Pass	ND	5000.0	16.227 / 49.169
Ethyl ether	Pass	ND	5000.0	11.608 / 35.172
Heptane	Pass	ND	5000.0	12.982 / 39.336
Hexane	Pass	ND	290.0	1.816 / 5.502
Isopropyl Alcohol	Pass	ND	5000.0	15.358 / 46.536
Methanol	Pass	411.484	3000.0	15.584 / 47.220
Pentane	Pass	ND	5000.0	12.355 / 37.434
Propane	Pass	ND	5000.0	1.359 / 4.117
Toluene	Pass	ND	890.0	7.174 / 21.736
Total Xylenes	Pass	ND	2170.0	34.438 / 104.347

## Microbiological Test Results - Pass

04/13/2020

PCR and fluorescence detection of microbiological impurities

		Results	Action Limit
Shiga toxin-producing Escherichia coli	Pass	ND	ND
Salmonella spp.	Pass	ND	ND
Aspergillus fumigatus	Pass	ND	ND
Aspergillus flavus	Pass	ND	ND
Aspergillus niger	Pass	ND	ND
Aspergillus terreus	Pass	ND	ND

## Foreign Material Test Results - Pass

04/11/2020

Pass

## Water Activity Test Results - Pass

04/11/2020

	Results (Aw)	Action Limit Aw
Water Activity Pass	0.4886	0.65

## Heavy Metal Test Results - Pass

04/11/2020

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Cadmium	Pass	<LOQ	0.2	0.012 / 0.035
Lead	Pass	<LOQ	0.5	0.031 / 0.095
Arsenic	Pass	<LOQ	0.2	0.013 / 0.039
Mercury	Pass	0.008	0.1	0.002 / 0.005


## Note

## Sample Certification


California Code of Regulations Title 16 Effect Date January 16, 2019  
 Authority: Section 26013, Business and Professions Code.  
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com  
 Sample must be marked as public to be viewable



Paul Dorenbach, LQC Verified By  
 Date: 04/14/2020



Josh Wurzer, President  
 Date: 04/14/2020

CoA ID: 200410U007-001 - Page 3 of 3